

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

1/7




FIG. 1




FIG. 2

2/7




FIG. 3




FIG. 4

3/7




FIG. 5




FIG. 6


Locate the teeth on wires:



5/7


LOCATE THE UPPER AND LOWER WIRES:

Vertical Relations




Horizontal(A-P) Relations

First locate Mandibular arch then classify




Horizontal(A-P) Relations

First locate Maxillary arch then classify



Horizontal(A-P) Relations (Molar Movement Not Possible*)



* - if required mandibular distalization > 4mm then
 molar movement is not possible

FIG. 7B

6/7




FIG. 8




FIG. 9

7/7




FIG. 10




FIG. 11